

## CERTIFICATE OF ANALYSIS

<b>Product Name</b>	<b>Pigment Suntone Yellow 74</b>	<b>Date</b>	22-12-2022
<b>STD Lot Number</b>	VOL	<b>C.I. Name</b>	PIGMENT YELLOW 74
<b>Supply Lot Number</b>	AM2211275	<b>Application</b>	WATER BASE
<b>Order File No.</b>	10221/2223	<b>Lab Report No.</b>	721/22
<b>Date of Manufacturing</b>	NOVEMBER 2022	<b>Shelf Life</b>	5 years from date of Manufacturing

Parameter	Specification	Test Results	UOM
pH	6 - 8	7.2	Number
Moisture Content	Max	0.3	%
<b>Tint Tone</b>			
DL	± 0.7	0.03	Number
Da	± 0.7	0.31	Number
Db	± 0.7	0.04	Number
DC	± 0.7	0.01	Number
DH	± 0.7	-0.32	Number
DE	1.00	0.32	Number
Strength	100 ± 3	101.66	%

Note: This information corresponds to the present state of our knowledge and experience., it is proposed as a general description of our products and their possible applications. Customer should to check its suitability in their medium & consume.

Safety: At the time of handling these products, please check the information given in the safety sheet. Further, usual protective and workplace hygiene measures for handling chemicals must be observed.

